

# SAFETY DATA SHEET

#### 1. Identification

Product identifier Oatey No. 11 Liquid Flux

Other means of identification

SDS number 1612E

Synonyms Part Numbers: 30106

Recommended use Joining Copper Pipes.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company Name Oatey Co.

Address 4700 West 160th St.

Cleveland, OH 44135

Telephone 216-267-7100 info@oatey.com

Transport Emergency Chemtrec 1-800-424-9300 (Outside the US 1-703-527-3887)

Emergency First Aid 1-877-740-5015
Contact person MSDS Coordinator

## 2. Hazard(s) identification

Physical hazards Not classified.

Health hazardsSkin corrosion/irritationCategory 1B

Serious eye damage/eye irritation Category 1

OSHA defined hazards Not classified.

Label elements



Signal word Danger

**Hazard statement** Causes severe skin burns and eye damage.

Precautionary statement

Prevention Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face

protection. Do not breathe dusts or mists.

**Response** If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Storage Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

Not applicable.

## 3. Composition/information on ingredients

### Mixtures

Chemical name	CAS number	%	
Water	7732-18-5	40-70	

Oatey No. 11 Liquid Flux SDS US

922566 Version #: 03 Revision date: 19-February-2015 Issue date: 16-October-2014

Zinc chloride	7646-85-7	15-40
Hydrochloric acid	7647-01-0	10-30
Ammonium chloride	12125-02-9	3-7

#### 4. First-aid measures

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

Call a physician if symptoms develop or persist.

**Skin contact**Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or

poison control center immediately. Chemical burns must be treated by a physician. Wash

contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

**Ingestion** Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important symptoms/effects, acute and delayed

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media Water spray. Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

Use water spray to cool unopened containers.

Specific methods

equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials.

**General fire hazards** No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This product is miscible in water. Stop the flow of material, if this is without risk. Dike far ahead of spill for later disposal. Use water spray to reduce vapors or divert vapor cloud drift. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.

**Environmental precautions** Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling
Conditions for safe storage,
including any incompatibilities
Not available.

Oatey No. 11 Liquid Flux SDS US

## 8. Exposure controls/personal protection

### Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Hydrochloric acid (CAS 7647-01-0)	Ceiling	7 mg/m3	
,		5 ppm	
Zinc chloride (CAS 7646-85-7)	PEL	1 mg/m3	Fume.
US. ACGIH Threshold Limi	t Values		
Components	Туре	Value	Form
Ammonium chloride (CAS 12125-02-9)	STEL	20 mg/m3	Fume.
·	TWA	10 mg/m3	Fume.
Hydrochloric acid (CAS 7647-01-0)	Ceiling	2 ppm	
Zinc chloride (CAS 7646-85-7)	STEL	2 mg/m3	Fume.
,	TWA	1 mg/m3	Fume.
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	Form
Ammonium chloride (CAS 12125-02-9)	STEL	20 mg/m3	Fume.
	TWA	10 mg/m3	Fume.
Hydrochloric acid (CAS 7647-01-0)	Ceiling	7 mg/m3	
		5 ppm	
Zinc chloride (CAS 7646-85-7)	STEL	2 mg/m3	Fume.
	TWA	1 mg/m3	Fume.
ological limit values	No biological exposure limits noted for t	he ingredient(s).	
propriate engineering ntrols	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.		
lividual protection measures	s, such as personal protective equipmen	t	
Eye/face protection	Wear safety glasses with side shields (o	or goggles) and a face shield	
Skin protection			
Hand protection	Wear appropriate chemical resistant glo	oves.	
Other	Wear appropriate chemical resistant clothing.		
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.		
Thormal hazards	Wear appropriate thermal protective clo	thing when necessary	

# Ind

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

**General hygiene** considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

## 9. Physical and chemical properties

**Appearance** 

**Physical state** Liquid. **Form** Not available. Color Light yellow. Strong acidic. Odor **Odor threshold** Not available. 2 - 3 pН

SDS US Oatey No. 11 Liquid Flux

922566 Version #: 03  Melting point/freezing point Not available.

Initial boiling point and boiling 208 °F (97.78 °C)

range

Flash point Not Applicable Evaporation rate Not available.

Flammability (solid, gas)

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density > 1
Relative density 1.14

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity 10 cP

10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**Conditions to avoid**Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

### 11. Toxicological information

Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful. May cause irritation to the respiratory system.

Skin contactCauses severe skin burns.Eye contactCauses serious eye damage.IngestionCauses digestive tract burns.

Symptoms related to the physical, chemical and toxicological characteristics

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result.

Information on toxicological effects

Acute toxicity Not available.

**Skin corrosion/irritation** Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization Not available.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Oatey No. 11 Liquid Flux SDS US

922566 Version #: 03 Revision date: 19-February-2015 Issue date: 16-October-2014

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Hydrochloric acid (CAS 7647-01-0) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not available.

**Chronic effects** Prolonged inhalation may be harmful.

12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential Mobility in soil

No data available. No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material

and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Dispose in accordance with all applicable regulations. Local disposal regulations

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

**UN number** UN1760

**UN proper shipping name** Transport hazard class(es) Corrosive liquids, n.o.s. (Hydrochloric acid RQ = 38462 LBS, Zinc chloride RQ = 3030 LBS)

**Class** 8 Subsidiary risk 8 Label(s) Ш

Packing group

Special precautions for user Not available.

Special provisions A6, A7, B10, T14, TP2, TP27

Packaging exceptions None Packaging non bulk 201 243 Packaging bulk

**IATA** 

**UN number** 

Corrosive liquid, n.o.s. (Hydrochloric acid, Zinc chloride) **UN proper shipping name** 

Transport hazard class(es)

**Class** 8 Subsidiary risk Ш Packing group

Oatey No. 11 Liquid Flux

922566 Version #: 03  **Environmental hazards** No. **ERG Code** 8L

Special precautions for user Not available.

**IMDG** 

**UN number** UN1760

**UN** proper shipping name CORROSIVE LIQUID, N.O.S. (Hydrochloric acid, Zinc chloride)

Transport hazard class(es)

Class 8 Subsidiary risk Packing group Ш **Environmental hazards** 

Marine pollutant No. F-A, S-B **EmS** Special precautions for user Not available. Not available.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

## 15. Regulatory information

**US** federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

## OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

#### **CERCLA Hazardous Substance List (40 CFR 302.4)**

Ammonium chloride (CAS 12125-02-9) LISTED Hydrochloric acid (CAS 7647-01-0) LISTED Zinc chloride (CAS 7646-85-7) LISTED

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

q	quantity	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
---	----------	--------------------------------------	---	---

Hydrochloric acid 7647-01-0 5000 500

No SARA 311/312 Hazardous

chemical

#### SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Zinc chloride	7646-85-7	15-40	
Hydrochloric acid	7647-01-0	10-30	
Ammonium chloride	12125-02-9	3-7	

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Hydrochloric acid (CAS 7647-01-0)

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Hydrochloric acid (CAS 7647-01-0)

Safe Drinking Water Act Not regulated.

(SDWA)

Oatey No. 11 Liquid Flux SDS US

922566 Version #: 03  6/7

### Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and **Chemical Code Number**

Hydrochloric acid (CAS 7647-01-0) 6545

#### Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Hydrochloric acid (CAS 7647-01-0) 20 %WV

### **DEA Exempt Chemical Mixtures Code Number**

Hydrochloric acid (CAS 7647-01-0) 6545

### **US** state regulations

#### **US. Massachusetts RTK - Substance List**

Ammonium chloride (CAS 12125-02-9) Hydrochloric acid (CAS 7647-01-0) Zinc chloride (CAS 7646-85-7)

### US. New Jersey Worker and Community Right-to-Know Act

Ammonium chloride (CAS 12125-02-9) Hydrochloric acid (CAS 7647-01-0) Zinc chloride (CAS 7646-85-7)

### US. Pennsylvania Worker and Community Right-to-Know Law

Ammonium chloride (CAS 12125-02-9) Hydrochloric acid (CAS 7647-01-0) Zinc chloride (CAS 7646-85-7)

#### **US. Rhode Island RTK**

Ammonium chloride (CAS 12125-02-9) Hydrochloric acid (CAS 7647-01-0) Zinc chloride (CAS 7646-85-7)

#### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### **International Inventories**

Country(s) or region

Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

Toxic Substances Control Act (TSCA) Inventory

# 16. Other information, including date of preparation or last revision

Inventory name

Issue date 16-October-2014 **Revision date** 19-February-2015

Version # 03 **HMIS®** ratings Health: 3 Flammability: 0

United States & Puerto Rico

Physical hazard: 0

**Disclaimer** The information in the sheet was written based on the best knowledge and experience currently

available.

Oatey No. 11 Liquid Flux SDS US

922566 Version #: 03  On inventory (yes/no)\*

Yes

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).